

Torque screwdriver TORSIOMAX

775a/3



Art.No. **51460003**
 GTIN **4018754142255**
 Model **775A/3**
DREHMOMENTSCHRAUBENDREHEF

Label. Torque screwdriver TORSIOMAX No. 775a/3 hexagonal 1/4"

- Features.**
- click-type
 - for torque-controlled bolt tightening in the cN·m and in-lb ranges
 - for one-off or production runs
 - anticlockwise and clockwise tightening
 - with 1/4" internal hex drive (F 6.3 DIN 3126/ISO1173)
 - infinitely variable via micrometer scale (twist scale)
 - disengaging clutch coupling prevents the preset value being exceeded
 - the shape of the handle and its surface texture ensure safe and accurate transmission of torque
 - insert tools: For all 1/4" hex E 6.3, Phillips-head screws, POZIDRIV/SUPADRIV®, straight-slot, TORX®, hex bits
 - certificate in accordance with DIN EN ISO 6789-2:2017
 - **display deviation value $\pm 6\%$**

Advantages.

Releasing

STAHlwILLE: For over 160 years, we as a traditional German company from Wuppertal have stood for tools that are appreciated around the world for their excellent quality

Technical Attributes.

Size	a/3 ¹⁾
Internal hex drive [inches]	1/4 "
Length mm (L)	105 mm
Measuring range cN·m	0,2-3 cN·m

Logistics data.

Length (IFS)	60
Width (IFS)	52
Height (IFS)	52
Length (packed, mm)	60

Measuring range in·lb 0,2-3 in·lb
Scale division [E1] 0,02 in·lb

Width (packed, mm) 52
Height (packed, mm) 52
Volume (packed, mm) 0.16224 dm³
Code 51460003
Weight (gross, kg) 0,200
Weight PAP (kg) 0,000
Weight PVC (kg) 0,000
GTIN 4018754142255
Country of origin JAPAN
Region of origin Ausländischer Ursprung
WEEE/Electrical Act nicht ear-pflichtig
Customs tariff no. 82041100
Numbers of content units per order units 1
Weight 55 g

Variants.

Code	Article number (ERP)	Article description (Autom. _)	GTIN
51060003	775/3 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775/3 hexagonal 1/4"	4018754141623
51060012	775/12 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775/12 hexagonal 1/4"	4018754141630
51060030	775/30 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775/30 hexagonal 1/4"	4018754150946
51060050	775/50 N DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775/50 hexagonal 1/4"	4018754141647
51060100	775/100 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775/100 hexagonal 1/4"	4018754141654
51460003	775A/3 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775a/3 hexagonal 1/4"	4018754142255
51460012	775A/12 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775a/12 hexagonal 1/4"	4018754142262
51460050	775A/50 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775a/50 hexagonal 1/4"	4018754142279

GTIN-Code.





STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.de · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal