

## Torque screwdriver TORSIOMAX

775a/50



Art.No. 51460050

GTIN 4018754142279

Model 775A/50

DREHMOMENTSCHRAUBENDREHEF

**Label.** Torque screwdriver TORSIOMAX No. 775a/50 hexagonal 1/4"

- Features.**
- click-type
  - for torque-controlled bolt tightening in the cN·m and in·lb ranges
  - for one-off or production runs
  - anticlockwise and clockwise tightening
  - with 1/4" internal hex drive (F 6.3 DIN 3126/ISO1173)
  - infinitely variable via micrometer scale (twist scale)
  - disengaging clutch coupling prevents the preset value being exceeded
  - the shape of the handle and its surface texture ensure safe and accurate transmission of torque
  - insert tools: For all 1/4" hex E 6.3, Phillips-head screws, POZIDRIV/SUPADRIV®, straight-slot, TORX®, hex bits
  - certificate in accordance with DIN EN ISO 6789-2:2017
  - **display deviation value  $\pm 6\%$**

## Advantages.

Releasing

STAHLWILLE: For over 160 years, we as a traditional German company from Wuppertal have stood for tools that are appreciated around the world for their excellent quality

## Technical Attributes.

Size	a/50 <sup>2)</sup>
Internal hex drive [inches]	1/4 "
Length mm (L)	205 mm
Measuring range cN·m	10-50 cN·m

## Logistics data.

Length (IFS)	290
Width (IFS)	52
Height (IFS)	52
Length (packed, mm)	290

**Measuring range in-lb** 10-50 in-lb  
**Scale division [E1]** 0,25 in-lb

**Width (packed, mm)** 52  
**Height (packed, mm)** 52  
**Volume (packed, mm)** 0.78416 dm<sup>3</sup>  
**Code** 51460050  
**Weight (gross, kg)** 0,645  
**Weight PAP (kg)** 0,000  
**Weight PVC (kg)** 0,066  
**GTIN** 4018754142279  
**Country of origin** JAPAN  
**Region of origin** Ausländischer Ursprung  
**WEEE/Electrical Act** nicht ear-pflichtig  
**Customs tariff no.** 82041100  
**Numbers of content units per order units** 1  
**Weight** 440 g

## Variants.

Code	Article number (ERP)	Article description (Autom. _)	GTIN
51060003	775/3 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775/3 hexagonal 1/4"	4018754141623
51060012	775/12 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775/12 hexagonal 1/4"	4018754141630
51060030	775/30 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775/30 hexagonal 1/4"	4018754150946
51060050	775/50 N DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775/50 hexagonal 1/4"	4018754141647
51060100	775/100 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775/100 hexagonal 1/4"	4018754141654
51460003	775A/3 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775a/3 hexagonal 1/4"	4018754142255
51460012	775A/12 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775a/12 hexagonal 1/4"	4018754142262
51460050	775A/50 DREHMOMENTSCHRAUBENDREHER	Torque screwdriver TORSIOMAX No. 775a/50 hexagonal 1/4"	4018754142279

## GTIN-Code.





**STAHLWILLE Eduard Wille GmbH & Co. KG**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
info@stahlwille.de · www.stahlwille.de · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal