



Electronic SENSOTORK® tightening angle torque wrenches w.reversible ratchet insert tool

713R/40



Art.No. 96501640
GTIN 4018754156528
Model 713R/40

Label. Electronic tightening angle torque wrench SENSOTORK No. 713R/40 Measuring-R. 20-400Nm Output 3/4" L. 838mm

- Features.**
- torque and angle are simultaneously visible
 - convenient angle measurement across a very wide angle range
 - **Display deviation value, angle $\pm 1^\circ \pm 1$ digit up to 100° , $>100^\circ$ at least $1\% \pm 1$ digit**

Advantages.

Torque and angle of rotation are visible at the same time

STAHLWILLE: For over 160 years, we as a traditional German company from Wuppertal have stood for tools that are appreciated around the world for their excellent quality

Product highlights.



Accurat.
Accuracy counts – uncertainty is reduced to a minimum to guarantee accurate readings.



Individual.
Individually configurable menus. Includes SENSOMASTER software for easy configuration of the tool.



Exact.
With a display deviation value of only $\pm 1\%$, the SENSOTORK® 713R is the champion in the STAHLWILLE range.



Safe.
The QuickRelease interlock technology ensures tools cannot be inadvertently lost – while enabling rapid, safe tool changes.



Multisensory.

The torque achieved is indicated by visual, audible and tactile signals – with a multicoloured backlit LED display, acoustic signal and vibration.



Connecting you now.


Set the parameters for the torque wrench or read out the stored data. This is a simple matter using the USB interface together with the optional SENSOMASTER software.



Uncomplicated.

Operator guidance and the menu structure are intuitive – arrow keys simplify operation.

Technical Drawing.



Technical Attributes.

Output square drive outside (inch)	3/4"
Width mm (b)	50 mm
Weight with box	5555 g
Size	40
Size hexagon socket [internal square]	14 x 18 mm
Height mm (h)	31,5 mm
Length mm (L)	838 mm
LF	750 mm
Measuring range ft-lb	15-296 ft-lb
Measuring range N-m	20-400 N·m
SF	25 mm

Logistics data.

Length (IFS)	1040
Width (IFS)	140
Height (IFS)	100
Length (packed, mm)	1040
Width (packed, mm)	140
Height (packed, mm)	100
Volume (packed, mm)	14.56 dm ³
Code	96501640
Weight (gross, kg)	5,300
Weight PAP (kg)	0,500
Weight PVC (kg)	0,000
GTIN	4018754156528
Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/Electrical Act	Großgeräte B2C
Customs tariff no.	82041100

Numbers of content units per order units 1
Weight 2332 g

Parts list.



50103040



83071008



81370004



59220004

Variants.

Code	Article number (ERP)	Article description (Autom._)	GTIN
96501606	713R/6	Electronic tightening angle torque wrench SENSOTORK No. 713R/6 Measuring-R. 3-60Nm Output 3/8" L. 378mm	4018754156504
96501620	713R/20	Electronic tightening angle torque wrench SENSOTORK No. 713R/20 Measuring-R. 10-200Nm Output 1/2" L. 608mm	4018754156511
96501640	713R/40	Electronic tightening angle torque wrench SENSOTORK No. 713R/40 Measuring-R. 20-400Nm Output 3/4" L. 838mm	4018754156528

GTIN-Code.



Images.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.de · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal